



DH1~DH2=16171±20

Coordinates

Mark	X	Y	R
GM	0	0	—
DH1	-7900	-3000	—
DH2	8234	-1900	—
a1	-7569	-3828	300
a2	-7252	-4215	200
a3	-5914	-5092	200
a4	-5433	-5228	300
a5	4625	-5757	300
a6	5106	-5621	200
a7	6444	-4745	200
a8	6761	-4358	300
a9	4947	5546	300
a10	4628	6054	300
a11	2754	7083	300
a12	2157	7026	300



Section a1~a4, a5~a8 Section a9~a12

Mark	Date	Description	Appr.	Checked	Drawn	Name:
△		Alterations	Approved			D. Yamada
△		Material				Frame for Case
△		Heat Treatment				Drawing No.: GL2400C1
△		Hardness				
△		Plating				

Quantity	Unit	Cal. NO.:
1	1/1000 mm	GL24
Scale	Date	Parts No.:
10:1		

Material	General Tolerances


  

Material	Dimensions	Angles

**MIYOTA**  
CITIZEN WATCH CO., LTD. TOKYO, JAPAN



This drawing is provisional and subject to our reconfirmation and/or revision without notice.



△			Quantity		Cal.NO.:
△			Unit	1 / 1000 mm	
△			Scale	20 : 1	Parts No.:
△			Date		065-541
△			Drawn		
Mark	Date	Description	Appro.	Checked	Name:
		Alterations	Approved	D. Yamada	SETTING STEM
Material					Drawing No.: 541000S1
Heat Treatment			General Tolerances	<b>MIYOTA</b> CITIZEN WATCH CO., LTD. TOKYO, JAPAN	
Hardness			Dimensions		
Plating			Angles		