




This drawing is provisional and subject to our reconfirmation and/or revision without notice.

DH5~DH6=222287 (±20)

Coordinates			
記号	X	Y	R
GM	0	0	—
DH5	-8759	6900	—
DH6	8251	-7500	—
a1	2351	11100	200
a2	7235	9131	200
a3	10800	3490	500
a4	10800	-3490	500
a5	3490	-10800	500
a6	-2700	-11100	200
a7	-5389	-10216	300
a8	-10800	-3490	500
a9	-10800	3490	500
a10	-3490	10800	500
b1	9581	6360	150
b2	7928	8331	150
b3	-5773	9946	150
b4	-7839	8415	150
b5	-9572	-6374	150
b6	-7916	-8342	150
b7	9196	-6906	150
b8	10501	-4690	150

	H
With Battery strap	4000
Without Battery strap	3850



Material	Alterations	Quantity	Unit	Call. NO.:
Material		1	1/1000 mm	GP88
Heat Treatment				
Hardness			Scale	Parts No.:
Plating			Date	
			Drawn	
			Checked	
			Approved	

Mark Date Description Appr. Checked M. Kobayashi Name: Frame for Case  
 Drawing No.: 6P88C000

General Tolerances Dimensions Angles


CITIZEN WATCH CO., LTD. TOKYO, JAPAN

**MIYOTA**



2010/05/12 (17:15:34)

This drawing is provisional and subject to our reconfirmation and/or revision without notice.



⑤			Quantity		Cal.NO.:
④			Unit	1/1000mm	
③			Scale	20:1	Parts No.:
②			Date		065-379
①			Drawn		
Mark	Date	Description	Appro.	Checked	T.Hiruta
Alterations			Approved	Name:	
			SETTING STEM		
Material				Drawing No.:3790S000	
Heat Treatment				<b>MIYOTA</b> CITIZEN WATCH CO.,LTD. TOKYO,JAPAN	
Hardness					
Plating					