


This drawing is provisional and subject to our reconfirmation and/or revision without notice.

\*\*\* TIPW 5R21 (01) \*\*\* (2100 1121 ) 00-06-26

DH1~DH2=8978 (±20)

Coordinates		
Mark	X	Y
GM	0	0
DH1	-3314	3689
DH2	4150	-1300




Quantity	Unit	1/1000 mm	Cal. No. : 5R21
△A	Unit	1/1000 mm	Parts :
△B	Scale	10:1	
△C	Date		
△D	Drawn		
△E	Checked	T. Hiruta	Name :
△F	Approved		Frame for Case
Material			Drawing No. : 5R21C000
Heat Treatment			
Hardness			
Plating			
General Tolerances			
Dimensions			
Angles			

## MIYOTA

This drawing is provisional and subject to our reconfirmation and/or revision without notice.


\*\*\* T I P W (01) \*\*\* (2100 1121) 00-06-15



7		Quantity		Cal. No. : 5R21-00A
6		Unit	1/1000 mm	Parts:
5		Scale	10:1	
4		Date		Name:
3		Drawn		
2		Checked	T. Hiruta	Indications for Dial
1		Approved		
Material				Drawing No. : 5R32D000
Heat Treatment		General Tolerances		<b>MIYOTA</b>
Hardness		Dimensions		
Plating		Angles		

This drawing is provisional and subject to our reconfirmation and/or revision without notice.

\*\*\* T I P W (01) \*\*\* (2100 1121) 00-06-22 065-413



7			Quantity		Cal. No. :
6			Unit	1/1000 mm	
5			Scale	20:1	Parts:
4			Date		065-413
3			Drawn		
2			Checked	T. Hiruta	Name:
1			Approved		SETTING STEM
Material					Drawing No. : 4130S000
Heat Treatment			General Tolerances		<b>MIYOTA</b>
Hardness			Dimensions		
Plating			Angles		